

# HIKVISION

## DS-2CC52H1T-FITS HD 5MP IR Fisheye Camera



### Key Features

- 5 Megapixel high-performance CMOS
- Analog HD output, up to 5Mega resolution
- 0.01Lux @ (F1.2,AGC ON), 0 Lux with IR
- IR cut filter with auto switch
- OSD menu
- Built-in microphone, 1-ch audio output
- Up the coax, Protocol: HIKVISION-C



[www.hikvision.com](http://www.hikvision.com)


## Specifications

<b>Model</b>	DS-2CC52H1T-FITS
<b>Camera</b>	
Image Sensor	5Mega Progressive Scan CMOS
Effective Pixels	2592(H)×1944(V)
Min. illumination	0.01 Lux @ (F1.2,AGC ON), 0 Lux with IR
Shutter Time	1/12.5s to 1/20,000s
Lens	1.1mm
Horizontal Field of View	186°
Lens Mount	M12
Day & Night	ICR
Angle Adjustment	Pan: 0°-30°; Tilt: 0°; Rotate: 0°
Synchronization	Internal Synchronization
Video Frame Rate	5Mega@12.5fps
HD Video Output	1-ch BNC Output
Audio In	Built-in Mic
Audio Out	1-ch, BNC Output, (Output Impedance: 1KΩ)
<b>Menu</b>	
Mounting Type	Ceiling/Wall
Ceiling Mounting Display Mode	Default, Panorama, 4 PTZ, Fisheye & 3 PTZ, Annular, Mini-fisheye & 1 PTZ, Annular & 2 PTZ
Wall Mounting Display Mode	Default, Panorama, 4 PTZ, Fisheye & 3 PTZ, Panorama & 3 PTZ
D/N Mode	Color/BW/AUTO
Functions	Brightness, Contrast, Saturation
<b>General</b>	
Operating Conditions	-20 °C to 60 °C (-4 °F to 140 °F), Humidity 90% or less (non-condensing)
Power Supply	DC12V±15%
Power Consumption	5.5W MAX
IR Range	10-20m
Communication	Up the coax, Protocol: HIKVISION-C
Dimensions	Φ120.4mm×54.5mm (Φ4.74"×2.14")
Weight	Approx. 350g (0.77lb)

**Order Models**

DS-2CC52H1T-FITS

**Dimensions**



**Accessories**



**DS-1299ZJ**  
Pendant Bracket



**DS-1297ZJ**  
Pendant Bracket



**DS-1294ZJ**  
Wall Mount Bracket



**DS-1281ZJ-DM27**  
Inclined Bracket

Distributed by



**Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8907-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
saleseuro@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-444  
info.fr@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision UK**  
T +44-1629-9021-4  
support.uk@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com